



Enable your Business

NEXT GENERATION SEMANTIC INTEGRATION PLATFORM

SAP Connection – Connection parameters

Adding a template:

Templates can be created via the “Templates” tab

✓ System Name

The system name can be defined by the user. As a template it is visible for every user in a tenant a recognizable name should be used.

✓ Hostname

The hostname can be either the FQDN or the IP address of the system

✓ Sysnr

The system number of the SAPO instance, it is usually the last two numbers of the port. It can be found via FM GET_SYSTEM_NUMBER or RFC_GET_SYSTEM_INFO

✓ Client

The client parameter is the three digit number identifying the system also used by the SAP Logon.



My Systems Templates

+ ▼

Add system

SAP ERP ▼

System Name	Add name	?
Hostname		?
sysnr	00	✓
Client	800	✓



SAP Connection – Connection parameters

Adding a connection based on a template:

Connections can be created via the “My Systems” tab

✓ Name

The name can be defined by the users choice.

✓ Username

The username already existing in the SAP system. This user has to have the RFC role alongside necessary data roles.

✓ Password

The password corresponding to the username chosen above.

✓ Language

The two digit language code defines the translation loaded by r4apps.



My Systems Templates

+ ▼

Add system ×

SAP ERP IDES ▼

Name	Add name	?
Username		✖
Password		✖
Language	EN	✓

Use cache

